

May 15, 2025

Ms. Anne Gibboni,  
Director, Facilities  
Cape May County Technical School District  
188 Crest Haven Road  
Cape May Court House, NJ 08210

Dear Ms. Gibboni,

This report summarizes the results of our May 9-12, 2025, 4<sup>th</sup> Quarter routine mercury air monitoring of the Cape May Technical School MAC gym.

Air Monitoring Findings revealed the following:

- Airborne mercury levels measured within the gym **averaged 0.25 µg/m<sup>3</sup> (range 0.10 - 0.36 µg/m<sup>3</sup>)**. These levels were below the NJDOH Guideline of 0.8 µg/m<sup>3</sup>.
- Gym temperature averaged 69°F and ranged from 65 - 71 °F. Relative humidity averaged 44%.

Based upon these findings, no unusual mercury exposure risk is suggested. It is recommended that you continue regular non-abrasive floor cleaning of the MAC gym floor and stage areas to prevent accumulation of excessive dusts. Our next monitoring will be scheduled for the beginning of the AY25-26 School Year in September 2025.

Thank you for the opportunity to assist you with the evaluation. Please contact me with any questions at (856)764-3557. Enjoy your summer!

Sincerely,  
*Richard A. Lynch*  
Richard A. Lynch, MBA, CIH, CIEC  
Certified Industrial Hygienist  
NJ Licensed Indoor Environmental Consultant  
[www.esmcorp.com](http://www.esmcorp.com)

Reviewed and Authorized:  
*Richard M. Lynch*  
Richard M. Lynch, Ph.D., CIH, CMC, CMRS, CHFM  
NJ Licensed Indoor Environmental Consultant  
President, ESMCorp  
[rlynch@esmcorp.com](mailto:rlynch@esmcorp.com)